

AS-200

Antenna-Splitter

RCS[®]
mobile sound

DIVERSITY-SYSTEM



OPERATING INSTRUCTIONS / BEDIENUNGSANLEITUNG

- ENGLISH
- DEUTSCH

SIMULTANEOUS OPERATION – USAGE OF THE ANTENNA-SPLITTER AS-200


Regarding multiple-channel devices from 2 UHF-system, we recommend using an antenna-splitter. The splitter receives incoming signals in a substitute way for the individual receivers and therefore avoids disturbance, which otherwise occurs due to using numerous antennas.

It is possible to operate up to 8 receiver UWR-701C simultaneously.

SIMULTANBETRIEB – VERWENDUNG DES ANTENNENSPLITTERS AS-200

Bei Mehrkanalanlagen ab 2 UHF-Systemen empfehlen wir die Verwendung eines Antennensplitters. Der Splitter empfängt stellvertretend für die einzelnen Empfänger die eingehenden Signale und vermeidet so Störungen, die sonst durch die Vielzahl der verwendeten Antennen auftreten würden.

Es ist möglich, bis zu 8 Empfänger UWR-701C simultan zu betreiben.



AS-200 ANTENNEN-SPLITTER

In case more than 8 UHF systems shall be operated simultaneously, one further antenna splitter may be integrated into the system:

Sollen mehr als 8 UHF-Systeme simultan betrieben werden, kann ein weiterer Antennensplitter in das System eingebunden werden:

