DIGITAL SOUND-CENTER 150



- Seminars and conferences
- Advertising and sales promotion
- Exhibitions and fairs
- Hotels and sporting events
- Schools and presentations



R

D

(•)

R·Ľ5

Portable PA System **DIGITAL SOUND-CENTER** 150



- Powerfull class D amplifier
- True Diversity
- VOICE-OVER function

The self-powered loudspeaker system DSC-150 is perfectly suited for all tasks that call for premium mobile sound. The unit convince with rich, crystal-clear sound in its category.



The 150W RMS amplifier is implemented in class D technology, thus offering an exceptionally good efficiency. The resulting low power consumption ensures very good endurance when operated on battery power, especially for the amount of power that's offered here.

Of course the sturdy and scratch-resistant plastic housing is designed to cope with the challenges of mobile use. The pre-mounted wheels

and telescopic handle makes it significantly easier to transport the unit.

The basic unit DSC-150 can be equipped as needed with up to two UHF receiver modules (U1/U2) or a pass device. It can be selected between a multi-functional player and a digital USB/SD recorder.

DIGITAL SOUND-CENTER*	DSC-1 50
DIGITAL SOUND-CENTER*	DSC-150 U1
with integrated 2-channel UHF-Receiver	DSC-150U2

Replacement Battery Set, 5.4 Ah (for DSC-101/150) BA-035

*The Sound source modules are optional available.

Modules for DIGITAL SOUND-CENTER:

When ordered with a sound source module the DIGITAL SOUND-CENTER is fully assembled and ready for operation.



CD/MP3/USB/SD-Card Player.....DSM-003 CD with pitch control and remote control. Player for playing commercial formats, integrated pitch control to affect the playback speed.



UHF-Receiver Module True-Diversity technology DSC-016B for upgrading, 16 selectable frequencies (863-865 MHz)



DSM-100 BT

for upgrading, for audio transmission from Smartphone, Tablet or PC



BT-Player-Module DSM-200BT for upgrading, for audio transmission from Smartphone, Tablet or PC

DIGITAL SOUND-CENTER 150 Portable PA System





COMPLETE SETS for simplified ordering:

SET 1

DSC-150 without UHF-receiver and microphone, - incl. CD-Player DSM-003 CD

SET 2

DSC-150 with integrated 1-channel UHF-receiver - incl. CD-player DSM-003 CD - incl. UHF-receiver and hand held microphone UH-016 B

SET 3

DSC-150 with integrated 1-channel UHF-receiver

- incl. CD-player DSM-003 CD
- incl. UHF-receiver and bodypack UB-016
- incl. Headset microphone HS-200S/B

SET 4

DSC-150 with integrated 2-channel UHF-receiver - incl. CD-player DSM-003 CD

- incl. 2x UHF-receiver & 2 hand held microphones UH-016 B

SET 5

DSC-150 with integrated 2-channel UHF-receiver

- incl. CD-player DSM-003CD
- incl. UHF-receiver and bodypack UB-016
- incl. UHF-Hand microphone UH-016B
- incl. Headset microphone HS-200S/B

DIGITAL SOUND-CENTER Accessories:





High-quality, weatherproof vinyl fabric cover for carriage, while use and storage of the DIGITAL SOUND-CENTER.

Carriage and Storage Cover	VC-150
for DSC-150 or auxiliary speaker	

UHF-Accessories:

UHF-Hand microphone

Electret hand microphone, optimized for voice. 16 selectable frequencies in the registration-free area. The battery status indicator informs continuously about the current status. Power is supplied by 2 AA batteries or equivalent batteries.

UHF-Hand Microphone (863-865 MHz) UH-016B

UHF-Bodypack (for LA-200 B or HS-200)

Bodypack transmitter for using the microphones LA-200 B and HS-200. 16 selectable frequencies in the registration-free area. With battery level indicator and detachable antenna. Power is supplied by 2 AA batteries or equivalent batteries.



LA-200B

€€ 0681

UHF-Bodypack (863-865 MHz).....UB-016 B

Lavalier-Microphone

Condenser microphone completed in ball-characteristic, suitable for bodypack UB-016. The cable length is 90 cm.

Lavalier-Microphone

Headset-Microphone

Very comfortable condenser microphone completed in ball-characteristic, suitable for bodypack UB-016. The cable length is approx. 100 cm.

Headset-Mikrophon, skin-color	 HS-200 S
Headset-Mikrophon, black	 . HS-200 B



DIGITAL SOUND-CENTER Accessories:

Carriage and Storage Bag

This rip-proof, water resistant, vinyl and fabric bag has two inner pockets for up to three stands, a zip closure and carry handles.



Carriage and Storage Bag.....CB-130 B for up to 2 speaker tripods and 1 mic stand

Connecting Cable, 30 m Auxiliary Speaker AC-300

Auxiliary Speaker

With help of the passive auxiliary speaker DSC-150ZL the degree of system efficiency can be improved.



Auxiliary Speaker DSC-150 ZL passive 150 W, for SOUND-CENTER

Floor Stand

Very stable floor stand made of aluminum (weight 3,2 kg) for setting up the DSC-150 models. The stepless height adjustment allows optimum adaptation to local conditions.

Floor Stand QST-185

for DSC-150 or Auxiliary Speaker DSC-150 ZL

Technical data	DSC-150
Program power / RMS	250 W / 150 W (Class-D)
Power supply	AC 230 V or DC 24 V/3 A
Battery	2x 12 V / 5 Ah
Operating time battery	6 - 8 hours
Speaker	10" Woofer, 1.5" Horn Tweeter
Inputs	Line in jack 6,3 mm;
	Line in cinch;
	MIC XLR;
	MIC jack 6,3;
Outputs	MIX OUT jack 6,3 mm;
	Speaker OUT 4-16 ohms
UHF-Receiver	True Diversity, 863-865 MHz, max. 2 pcs.
Tone regulation	double
Case	ABS
Dimensions/Weight	H 500 x W 320 x D 360 mm, 16 kg